



DURABLE & TEXTURED **WALLCOVERING** YOU CAN CUSTOMIZE

Silence Is Golden.

Hushed Acoustic Wall System  
NOISE REDUCTION + THERMAL LAYERING



Or red. \_\_\_\_\_



Or blue. \_\_\_\_\_

Bring the noise levels down with our **Hushed Wallcovering**, a sound absorbing wall covering you can paint any color you desire. Hushed is an insulated wall fabric that helps regulate noise and room temperature, creating a hygienic, protective vertical surface.

Vitrulan USA's Hushed Wallcovering is a woven textile fabric that reduces indoor noise levels, and creates a thermal insulation layer. Hushed also protects walls from dings and dents, is hygienic and fire resistant. Hushed is the ideal wallcovering solution for any environment that demands function, comfort and style – including retail, hospitality, education, healthcare, corporate and creative spaces.

Available in two textures, Hushed is made of a breathable, woven glass fabric, with a fleece backing which allows for enhanced performance on your walls. Hushed is easy to clean and maintain. A simple system that boasts so many benefits. From sound reduction, temperature control, durability and hygiene to aesthetics and maintenance, the Vitrulan Hushed Wallcovering System sets a new standard in wall coverings.

## FEATURES & BENEFITS

### HUSHED ACOUSTIC WALLCOVERING

- Class E sound absorption reduces spaces ambient noise
- Reduces energy needed to bring room to comfortable temperature levels
- Does not interfere with natural air circulation or change the dew point
- Base fabric is flame resistant, emits low smoke and is high temperature tolerant
- Helps keep scratches and dents in check for high traffic areas
- Easy to install and can be re-painted to change color

## APPLICATIONS

### EDUCATION

Nurseries and pre-schools • K-12 schools • Colleges • Universities • Music rooms • Cafeterias • Student centers • Coaches offices • Locker rooms • Dormitories

### HEALTHCARE

Hospitals • Doctor's offices • Nursing stations • Waiting rooms • Clinics • Rehabilitation rooms • Retirement rec rooms

### CORPORATE

Confererence rooms • Break-out rooms • Creative studios • Ad agencies • Architectural firms • Reception areas • Public area info stations

Keep spaces quiet and comfortable - whatever the hue.



Perfect for noisy waiting areas



Dampen noise in school music rooms



Keep meeting rooms comfortable and quiet

HUSHED PRODUCT SPECIFICATIONS

|                      |                                                                                                                                         |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Roll Length          | 11.3 yds / 13 yds                                                                                                                       |
| Roll Width           | 1 yd                                                                                                                                    |
| Fabric Thickness     | 3mm                                                                                                                                     |
| Sound Absorption     | 'DIN EN ISO 354' weighted sound absorption coefficient $\alpha_w$ 0.25(H)<br>'DIN EN ISO 11 654' NRC (noise reduction coefficient) 0.20 |
| Fire Rating          | ASTM E84-21a Flame Spread and Smoke Developed Index - Class A                                                                           |
| Thermal Transmission | ASTM C518 'Thermal Resistance' $R = 0.39 \text{ F ft}^2\text{h/Btu}$ or $SI 0.0687 \text{ (m}^2\text{C)/W}$                             |
| SD Value             | 0,03 m – extremely water vapor permeable                                                                                                |

The above information is based on our current knowledge about the product referenced and has been published to the best of our knowledge. We point out to the user that possible risks can arise when the product is used for other than intended applications.


Two textures can be painted any color



Hushed #904



Hushed #35



An independent institute tested Hushed in the reverberation room. It achieved sound absorption level  $\alpha_w$  0,25 (H) according to DIN EN ISO 354.

Assessment of sound absorption in accordance with  
DIN EN ISO 11 654 "Sound absorbers for use in buildings"



Ger-Eck, LLC Exclusive Distributors of Vitrulan Glass Textile Products  
10317 Johns Towne Drive Charlotte, NC 28210  
for more info: [g.griffin@vitrulanusa.com](mailto:g.griffin@vitrulanusa.com)

[vitrulanusa.com](http://vitrulanusa.com)